



**ON METAL  
ABS UHF  
RFID TAG  
135 x 21 x 12 mm  
with 2 holes and  
Adhesive Back  
ISO18000-6C**

<b>Product:</b>	Rugged ABS RFID DIPOLE TAG 135 x 22 x 12 mm with 2 holes and Adhesive Back	
<b>RFID Chips Options:</b>	UHF: ISO18000-6C: ALIEN Higgs-3 (96 bits EPC, 512 bits User memory, 64 bits UID (other ICs on request)	
<b>Read Range:</b>	EU: up to 4 m      USA: up to 7 m	(Depends on RFID IC type and
<b>Frequencies:</b>	UHF:      860 MHz ... 960 MHz	(At room temperature 20°C)
<b>Dimensions / Weight:</b>	135 x 21x 12 mm, 2 holes Ø 4mm	17 g
<b>Material / Colour:</b>	ABS with Adhesive for easy mounting	Black (other colours on request)
<b>Protection Class:</b>	IP68	
<b>Minimum Order Quantity:</b>	1000 pieces	
<b>Operating Temperature:</b>	-35°C ... + 65°C	
<b>Storage Temperatures:</b>	-40°C...+85°C	
<b>Certification / Other:</b>	<b>CE</b>	<b>RoHS ✓</b>
<b>Part Description:</b>	135mm-OMADT-BK-UHF-EU (868 MHz) 135mm-OMADT-BK-UHF-US (925 MHz)	

arfidex GmbH | Adlerstraße 2 | D-63322 Rödermark | Germany | Phone: +49 (0) 6074 861930

[www.arfidex.de](http://www.arfidex.de) | [info@arfidex.de](mailto:info@arfidex.de)

© arfidex makes no warranty, representation, or guarantee regarding the information contained herein or the suitability of its products and services for any particular purpose, nor does arfidex assume any liability whatsoever arising out of the application or use of any product or circuit. The products sold hereunder and any other products sold by arfidex have been subject to limited testing and should not be used in conjunction with mission-critical equipment or applications. Any performance specifications are believed to be reliable but are not verified, and Buyer must conduct and complete all performance and other testing of the products, alone and together with, or installed in, any end-products. Buyer shall not rely on any data and performance specifications or parameters provided by arfidex. It is the Buyer's responsibility to independently determine suitability of any products and to test and verify the same. The information provided by arfidex hereunder is provided "as is, where is" and with all faults, and the entire risk associated with such information is entirely with the Buyer. arfidex does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other IP rights, whether with regard to such information itself or anything described by such information. Information provided in this document is proprietary to arfidex, and arfidex reserves the right to make any changes to the information in this document or to any products and services at any time without notice.



**ON METAL  
ABS UHF  
RFID TAG  
135 x 21 x 12 mm  
with 2 holes and  
Adhesive Back  
ISO18000-6C**

#### Options:

- Other colour version available on request (Blue, Green, Orange, Red, Yellow)
- Different Frequency Versions country/region versions on request
- Customised laser printing
- Customised logo printing
- Serial Number printing
- UID Number printing
- Without Adhesive back sticker foil

These rugged RFID transponder are used by system integrators or endusers to identify all kind of equipment in industrial harsh environment.

#### Applications:

- Asset Management
- Container ID
- Industrial ID
- Maintenance and Service
- Pallet Identification
- Waste Bin Identification
- Your application

---

arfidex GmbH | Adlerstraße 2 | D-63322 Rödermark | Germany | Phone: +49 (0) 6074 861930

[www.arfidex.de](http://www.arfidex.de) | [info@arfidex.de](mailto:info@arfidex.de)

© arfidex makes no warranty, representation, or guarantee regarding the information contained herein or the suitability of its products and services for any particular purpose, nor does arfidex assume any liability whatsoever arising out of the application or use of any product or circuit. The products sold hereunder and any other products sold by arfidex have been subject to limited testing and should not be used in conjunction with mission-critical equipment or applications. Any performance specifications are believed to be reliable but are not verified, and Buyer must conduct and complete all performance and other testing of the products, alone and together with, or installed in, any end-products. Buyer shall not rely on any data and performance specifications or parameters provided by arfidex. It is the Buyer's responsibility to independently determine suitability of any products and to test and verify the same. The information provided by arfidex hereunder is provided "as is, where is" and with all faults, and the entire risk associated with such information is entirely with the Buyer. arfidex does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other IP rights, whether with regard to such information itself or anything described by such information. Information provided in this document is proprietary to arfidex, and arfidex reserves the right to make any changes to the information in this document or to any products and services at any time without notice.